


Pressure Testing Machines



Hispeed Group Inc.



PRODUCT PARAMENTERS

Product name	Vertical valve pressure testing machine(SYJ-300MSQ)	Pressure testing medium	water, gas
Scope of application	Valve size: DN50-DN300	Liquid system rated pressure	31.5 Mpa
	Valve length: 100 mm - 700 mm	Liquid system rated flow	10 L/min
Testing pressure	0-40 Mpa	Total power	4.5 kw
Host size	2000 x1200x2200mm	Gas booster pump size	600 x500x700mm



PRODUCT PARAMENTERS


Product name	Horizontal valve pressure testing machine(WBD-500)	Pressure testing medium	water
Scope of application	Valve size: DN50-DN500	Liquid system rated pressure	31.5 Mpa
	Valve length: 200 mm - 1500 mm	Liquid system rated flow	16 L/min
Testing pressure	0-32 Mpa	Total power	7.5 kw

Double-position Vertical Valve Pressure Testing Machine Pressure Testing Machines



PRODUCT PARAMENTERS

Product name	Double-position vertical valve pressure testing machine(SYJ-200)	Top cylinder	φ125, compaction force:30 tons, travel:400mm
Scope of application	Valve size: DN20-DN200	Bottom cylinder	3*φ100, compaction force:30 tons, travel:60mm
	Valve length: 0 mm - 460 mm	Testing pressure	0-10 Mpa
Host size	2200 x1100x2200mm		



**PRODUCT PARAMENTERS**

Product name	Pipe pressure testing machine(GJSJ-12)	Pressure testing medium	water
Scope of application	Pipe size: DN50-DN300	Liquid system rated pressure	31.5 Mpa
	Pipe height: 100 mm - 790 mm	Liquid system rated flow	10 L/min
Testing pressure	0-20 Mpa	Total power	4.5 kw
Host size	2110 x960x1550mm		



PRODUCT PARAMENTERS

Product name	Vertical valve pressure testing machine(SYJ-300A)	Pressure testing medium	water
Scope of application	Valve size: DN50-DN300	Liquid system rated pressure	31.5 Mpa
	Valve length: 100 mm - 700 mm	Liquid system rated flow	10 L/min
Testing pressure	0-20 Mpa	Total power	4 kw
Host size	2000 x1200x2200mm		



PRODUCT PARAMENTERS

Product name	Straight pipe pressure testing machine(GJSJ-220)	Pipe size	DN30-DN200
Cylinder pressure	3*38tons	Testing pressure	0-20 Mpa
Motor	380V 4KW;380V 1.5KW	Host size	2110 x860x2000mm

**PRODUCT PARAMENTERS**

Product name	Safety valve pressure testing machine(AQFS-400)	Test medium	nitrogen, air
Testing pressure	0-100 Mpa	Temperature	normal temperature
Valve size	DN10-DN400	Clamping way	manual, three jaw clamping
Measurement precision	0.4 pressure gauge	Clamping force	0 - 50 tons
Power EE	AC380V 50 Hz		


Double-tilting Valve Pressure Testing Machine

Pressure Testing Machines




PRODUCT PARAMENTERS

Product name	Double-tilting valve pressure testing machine(SBFS-300)	Hose size	2950×1250×1700mm
Testing pressure	0-6.3 Mpa	Flange OD	110-400mm
Valve size	DN50-DN300	Left table spacing	600mm
blind plate spacing	750mm	Valve FTF	200-700mm
Left clamping cylinder	3*φ100, compression force: 50 tons, travel:100	Right clamping cylinder	3*φ100, compression force: 50 tons, travel:100



PRODUCT PARAMENTERS

Product name	Four-position valve pressure testing machine(SYJ4-350)	Pillar inside pitch	500mm
Testing pressure	0-10 Mpa	Valve FTF	700mm
Valve size	DN50-DN350	Top clamping cylinder	4*φ140, compression force: 40 tons, travel:500
blind plate spacing	700mm		

**PRODUCT PARAMENTERS**

Product name	U-tube pressure testing machine(USYJ-50)	Low pressure pump	220 v, 200 w
Hydraulic station	gear pump 2.2 Kw, 380 V	Pipe diameter	DN12-DN50
U-tube width	120-2000mm	Pressure range	0 - 30 Mpa
High-pressure pum	4D-SB-11 ;1.5 KW, 380 V, 40 Mpa		

**PRODUCT PARAMENTERS**

Product name	Straight tube pressure testing machine(ZSYJ-30)	Pipe diameter	16-30mm
Hydraulic station	Two gear pumps 1.5 Kw, 380 V 40Mpa	Pressure range	0 - 30 Mpa
Straight pipe length	1-30m		



Hispeed Group Inc.

Address: Weifang City, Shandong Province, China

Tel/Whatsapp/Wechat: +86-18005365375

E-mail: sales@headsupplier.com

Web: www.headsupplier.com